



20/20 Hindsight High-Speed Video Camera System



MicroCAM Pricing Options for Single Camera



20/20 Hindsight MicroCAM – Base System



Includes the following hardware and software:

- 2020CAM Viewing software (single license) that runs on Windows 7 or later OS.
- Includes 2 hours of free support, additional hour(s) are billed at current support rate.
- Dustproof camera head.
- Power over Ethernet connections with MicroCAM 802.3 at injector and PoE camera head convertor boxes.





20/20 Hindsight MicroCAM

Image Sensor:	Monochrome
Camera Head Dimensions & Weight:	8.1 x 9.4 x 8.9 cm (3.25 x 3.75 x 3.5 inches) 1.35 kgs (3 lbs)

	125 FPS		250 FPS		500 FPS	
Buffer Size (GB)	Buffer Length (hours)	MicroCAM price	Buffer Length (hours)	MicroCAM price	Buffer Length (hours)	MicroCAM price
60	8	\$ 11,995	4	\$ 14,995	2	\$ 19,995
30	4	\$ 10,995	2	\$ 13,995	1	\$ 18,995
15	2	\$ 9,995	1	\$ 12,995	.5	\$ 17,995



Available Hardware / Software Features

11.5-69mm adjustable manual zoom lens		\$855
Micro Four Thirds POWER O.I.S. Lens <i>(Requires Micro Four Thirds Remote Control System option)</i>		\$795
<ul style="list-style-type: none">• Premium 3X Video and Still Optimized Ultra Compact (14-42mm) with Exclusive Power Zoom Technology.• Video Optimized Power O.I.S with Silent Drive• Micro Four Thirds Durable Metal Lens Mount with Power Controls for Focus and Smooth Zooming.• Premium Extra-low Refractive Index Nano Surface Coating.		
Micro Four-Thirds MicroCAM Remote Control System		\$1,995
<ul style="list-style-type: none">• Upgrade from manual to remote control lens.• Utilizes software to adjust lens settings.• Not available on non-compressed 2020CAM with standard RC lens control.		
Waterproof 50W LED Lighting Spot System 10 LED Lamp		\$1,280
<ul style="list-style-type: none">• Waterproof 10-Cell LED light with aluminum body• IP68 Rated / 6,700 lumens (raw output)• Medium-duty “Magic” mounting arm and super clamp• Shatterproof Flood & Spot Lenses available• 50W DC transformer with 14-foot power cord		
NEMA-4 Lens Cover		\$695
<ul style="list-style-type: none">• Dustproof and waterproof lens cover.• Enables NEMA-4 / IP66 rating		
MicroCAM Dell Laptop		\$1,950
Carrying Case with Custom Foam Storage Set		\$765
Process Interface Unit (PIU) – PLC External Trigger Interface		\$1,879
MicroCAM SOLO Hub		\$995
<ul style="list-style-type: none">• Integrated base station for one MicroCAM head and one LED light.• Complete system functionality in a simple, lightweight package.• Features a dual USB charging port to power tablets and iPads.• Designed as a quick set-up solution to get connected and capturing within minutes.• Supports use of wired laptop.• Runs on provided external 24VDC supply.		
Integrated Wi-Fi Access Point		\$395
<ul style="list-style-type: none">• Connect wirelessly to the MicroCAM from either an Apple device (ie: iPhone, iPad, or MacBook) or a Windows device (ie: laptop).• Wireless connection is a direct point-to-point connection eliminating the need for an external wireless router.• Connect up to 3 wireless device(s) simultaneously to one (1) MicroCAM.		
iPad Air 2		\$615
<ul style="list-style-type: none">• Use “MicroCAM Viewer” iOS app (available in the App Store) to access the MicroCAM via its wireless connection.• MicroCAM app allows users to review just-recorded video, control the lens iris, zoom, focus, and create and share clips via a jump drive, cloud, text or email.• Includes jump drive for offloading clips to PCs.		



Available Hardware / Software Features

Mobile Stainless Steel Cart

\$8,995

- 100-240V~, 50/60Hz
- Stainless Steel
- Manufactured in an ISO 9001 certified facility
- 4 heavy-duty caster wheels – 2 locking swivel and 2 rigid.
- Integrated 27 inch (68.5cm) diagonal Full HD 1920x1080 1ms Back-lit LED monitor with 345 ° rotation
- Includes HP laptop.
- Theft-Resistant locking storage cabinet with foam lined drawers
- Pull out laptop drawer with docking station.
- Fan for forced ventilation
- GFCI and surge protection.
- External connections patch panel:
 - Six (6) MultiCAM camera ports
 - Power Over Ethernet PoE+ 802.3at
 - Six (6) LED light ports
 - 24VDC
 - One (1) SoloCAM port
 - 24VDC power
 - 10GBase_T (10Gb Ethernet)
- **Optional** wireless access for remote viewing.
- **Optional** NEMA-4 Stainless Steel Monitor Enclosure (23 inch – 58.4cm 1920x1080 LED monitor)



Uptime Support Contract

\$1,995

- Provides access to unlimited complimentary Hindsight Technical Support and remote support (does not include networking support).
- Provides one year of software upgrades. This service includes all Microsoft operating system services packs and supporting system software upgrades for optional laptop.
- Includes one year warranty on all hardware (see Terms & Conditions).
- Includes guaranteed overnight express shipping of Camera and all optional hardware as replacements.